



U.S. DEPARTMENT OF  
**ENERGY** | Office of  
Science

DOE/SC-ARM-15-020

## **ARM Climate Research Facility Quarterly Ingest Status Report**

A Koontz  
C Sivaraman

April 2015



## **DISCLAIMER**

This report was prepared as an account of work sponsored by the U.S. Government. Neither the United States nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

# **ARM Climate Research Facility Quarterly Ingest Report**

**Second Quarter:  
January 1, 2015 to March 31, 2015**

A Koontz  
C Sivaraman

April 2015

Work supported by the U.S. Department of Energy,  
Office of Science, Office of Biological and Environmental Research

## **Abstract**

The purpose of this report is to provide a concise status update for ingests maintained by the Atmospheric Radiation Measurement (ARM) Climate Research Facility. The report is divided into the following sections: (1) new ingests for which development has begun, (2) progress on existing ingests, (3) future ingests that have been recently approved, (4) other work that leads to an ingest, and (5) top requested ingests from the ARM Data Archive. New information is highlighted in [blue text](#).

## **Acknowledgements**

This report is developed largely from the information submitted by the developers and task leads to the Extraview reporting system (<http://ewo.arm.gov>). Special thanks to our ingest development team for providing timely and complete updates to the Engineering Change Orders and Engineering Work Orders.

## Acronyms and Abbreviations

ACSM	Aerosol chemical speciation monitor
AERI	Atmospheric emitted radiance interferometer
AMC	AmeriFlux measurement component
AOS	Aerosol observing system
ARM	Atmospheric Radiation Measurement
ASSIST	Atmospheric Sounder Spectrometer for Infrared Spectral Technology
CAPS	Cavity attenuated phase shift
CEIL	Vaisala Ceilometer
CEILBLHT	Ceilometer Boundary Layer Height
CFH	Cryogenic Frostpoint Hygrometer
CLAP3W	Continuous Light Absorption Photometer - 3-wavelength
DL	Doppler Lidar
EBBR	Energy balance Bowen ratio
ECO	Engineering change order
ECOR	Eddy correlation
GVR	G-band (183 GHz) Vapor Radiometer
HTDMA	Humidified tandem differential mobility analyzer
IAPMFR	In situ aerosol profile multi-filter radiometer
IRSI	Infrared sky imager
IRT	Infrared thermometer
IRTHR	Infrared thermometer high resolution
KAZR	Ka ARM Zenith Radar

KAZR2	Ka ARM Zenith Radar Version 2
KAZRSPEC	Ka ARM Zenith Radar Spectra Filter
LBNL	Lawrence Berkeley National Laboratory
MAERI	Marine atmospheric emitted radiance interferometer
MARINEMET	MARINE Meteorological Instrumentation at AMF
MASC	Multi-angle snowflake camera
MET	Meteorological Instrumentation at AMF
MFRCDL	Multi-filter radiometer cloud detection Lidar
MPLPOLFS	Micropulse Lidar
MWACR	Marine W-Band ARM Cloud Radar
MWACRSPEC	Marine W-Band ARM Cloud Radar Spectra Filter
MWR	Microwave radiometer
NAV	Surface navigation
NOAAAOS	National Oceanic and Atmospheric Administration Aerosol Observing System
ORG	Optical rain gauge
PNNL	Pacific Northwest National Laboratory
PRP	Portable radiation package
PSAP3W	Particle Soot Absorption Photometer - 3-wavelength
RAD	Radiation Measurements at AMF
RAIN	Rain gauge
RL	Raman Lidar
RP	Roll/pitch
RWP	Radar wind profiler
SEBS	Surface energy balance system

SIRS	Solar Infrared Station
SONDE	Balloon-borne sounding system
SURTHREF	Surface Temperature and Humidity Reference System for Sondes
SWATS	Soil water and temperature system
SWS	Shortwave spectroradiometer
THWAPS	Temperature, humidity, winds, and pressure system
TPS	Total precipitation sensor
TSI	Total sky imager
VDIS	Video disdrometer
WACR	W-band ARM cloud Radar
WACRSPEC	W-band ARM cloud radar spectra filter
XSAPR	X-band scanning precipitation Radar

A complete list of ARM acronyms can be found at <http://www.arm.gov/about/acronyms>.



## Contents

Abstract.....	iii
Acknowledgements.....	iv
Acronyms and Abbreviations .....	v
1.0 New Ingests .....	1
1.1 Aerosol Observing System Cavity Attenuated Phase Shift .....	1
1.2 Cryogenic Frostpoint Hygrometer .....	1
1.3 Ka ARM Zenith Radar Version 2 .....	1
1.4 Scanning ARM Cloud Radar.....	2
1.5 Multi-Angle Snowflake Camera .....	2
1.6 2.62 X-Band Scanning Precipitation Radar .....	2
2.0 Existing Ingests.....	2
2.1 Atmospheric Emitted Radiance Interferometer.....	3
2.2 AmeriFlux Measurement Component.....	3
2.3 AOS Aerosol Chemical Speciation Monitor.....	3
2.4 Aerosol Observing System.....	4
2.5 Aerosol Observing System Humidified Tandem Differential Mobility Analyzer .....	5
2.6 Atmospheric Sounder Spectrometer for Infrared Spectral Technology .....	5
2.7 Beam-Steered Radar Wind Profiler.....	6
2.8 Vaisala Ceilometer .....	6
2.9 Planetary Boundary-Layer Height Ceilometer.....	6
2.10 Disdrometer.....	7
2.11 Doppler Lidar .....	7
2.12 Energy Balance Bowen Ratio .....	8
2.13 Eddy Correlation Flux Measurement System .....	8
2.14 G-Band Vapor Radiometer.....	8
2.15 G-band Vapor Radiometer Profiler .....	9
2.16 High Spectral Resolution Lidar.....	9
2.17 In Situ Aerosol Profiles Multi-Filter Radiometer.....	9
2.18 Infrared/Visible Sky Imager.....	10
2.19 Infrared Thermometer .....	10
2.20 Infrared Thermometer – High-Resolution .....	11
2.21 K-Band ARM Zenith Radar .....	11
2.22 Ka ARM Zenith Radar Filtered Spectral Data .....	12
2.23 Marine Atmospheric Emitted Radiance Interferometer .....	12
2.24 ARM-Standard Meteorological Instrumentation, Marine.....	12
2.25 Vaisala Automatic Weather Station .....	13

2.26	Surface Meteorological Instrumentation .....	13
2.27	Multi-Filter Radiometer Cloud Detection Lidar .....	14
2.28	Micropulse Lidar Polarized, Fast Sampling .....	14
2.29	Microwave Radiometer .....	15
2.30	Microwave Radiometer – High Frequency .....	15
2.31	Marine W-Band ARM Cloud Radar .....	16
2.32	Marine W-Band ARM Cloud Radar Spectra Filter .....	16
2.33	Microwave Radiometer – 3-Channel .....	16
2.34	Microwave Radiometer Profiler .....	17
2.35	Surface Navigation Data .....	17
2.36	NOAA AOS .....	18
2.37	Optical Rain Gauge .....	18
2.38	OTT Parsivel2 Laser Disdrometer .....	18
2.39	Portable Radiation Package .....	19
2.40	Radiation Measurements at the ARM Mobile Facility Niamey, Niger, Deployment .....	19
2.41	Rain Gauge .....	20
2.42	Raman Lidar .....	20
2.43	Roll/Pitch Ingest .....	20
2.44	Radar Wind Profiler .....	21
2.45	Scanning ARM Cloud Radar .....	22
2.46	Shortwave Array Spectroradiometer – he Measurements .....	23
2.47	Shortwave Array Spectroradiometer – ze Measurements .....	23
2.48	Surface Energy Balance System .....	24
2.49	Solar Infrared Radiation Station .....	24
2.50	Mini Sound Detection and Ranging .....	24
2.51	Balloon-Borne Sounding System .....	25
2.52	Surface Temperature and Humidity Reference .....	25
2.53	Soil Water and Temperature System .....	25
2.54	Shortwave Spectroradiometer .....	26
2.55	Temperature, Humidity, Wind, and Pressure Sensors .....	26
2.56	Total Precipitation Sensor .....	27
2.57	Total Sky Imager .....	27
2.58	Facility-Specific Multi-Level Meteorological Instrumentation .....	27
2.59	Video Disdrometer .....	28
2.60	W-Band ARM Cloud Radar .....	28
2.61	Cloud Radar Spectra Filter .....	28
2.62	X-Band Scanning Precipitation Radar .....	29
3.0	Ingest Metrics .....	29

## 1.0 New Ingests

This section describes new activities that have begun in the last quarter after being approved by the ARM Engineering Review Board. Ingest software development will be needed for the following instruments.

### 1.1 Aerosol Observing System (AOS) Cavity Attenuated Phase Shift (CAPS)

Mentor: Arthur Sedlacek, Brookhaven National Laboratory

Developer: Alison Tilp, Brookhaven National Laboratory

Status: Under development

Purpose: This ingest will generate:

- aoscaps.b1

The aoscaps ingest reads the data from the CAPS.

[Recent Modifications: Currently under development.](#)

### 1.2 Cryogenic Frostpoint Hygrometer (CFH)

Mentor: Martin Stuefer, University of Alaska, Fairbanks

Developer: Christina Marinovici, Pacific Northwest National Laboratory

Status: Engineering Change Order-00769 was approved in 2009 for the addition of this instrument. Ingest development has not started.

[Recent Modifications: The ingest logic has been written and the datastream is being developed. Work continues with advice from the mentor.](#)

### 1.3 Ka ARM Zenith Radar Version 2 (KAZR2)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Krista Gaustad, Pacific Northwest National Laboratory

Status: Engineering Work Order-1598 was approved to create the new ingest for this instrument.

[Recent Modifications: The ingest is written and has been tested with existing test data.](#)

## 1.4 Scanning ARM Cloud Radar(SACR2)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Krista Gaustad, Pacific Northwest National Laboratory

Purpose: Read new format SACR2 data and generate netcdf files.

Recent Modifications: [The ingest is written and has been validated with existing test data.](#)

## 1.5 Multi-Angle Snowflake Camera (MASC)

Mentor: Martin Stuefer, University of Alaska Fairbanks

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: In development

Purpose: The masc\_ingest is used to read data from the multi-angle snowflake camera.

Datastreams generated:

- masc.a1 – snowflake images
- masc.b1 – netcdf files containing snowflake fall speeds.

Recent Modifications: [The masc\\_ingest logic has been written and testing has begun.](#)

## 1.6 2.62 X-Band Scanning Precipitation Radar (XSAPR2)

Mentor: Scott Collis, Argonne National Laboratory

Developer: Jonathan Helmus, Argonne National Laboratory

Purpose: [The XSAPR2 ingest process is used to read data from the four XSAPR radar instruments. The data from these instruments come stored in the IRIS/Sigmat format developed by Vaisala. The IRIS/Sigmat format is a published radar data format. During ingest, the radar moments and metadata contained in this format are read and converted into netCDF.](#)

Recent Modifications: [The code is written. Currently waiting for test data to arrive.](#)

## 2.0 Existing Ingests

This section describes the status of each ingest and the ongoing activities that were approved to enhance the performance of, or maintain, existing ingests. The information is abstracted primarily from the monthly updates provided by the development team to the Engineering Change Orders (ECOs).

In general, ingests read instrument raw data and generate one or more netCDF files from that input data. Once read, the raw data are properly named and prepared for shipment to the ARM Data Archive.

## 2.1 Atmospheric Emitted Radiance Interferometer (AERI)

Mentor: Denny Hackel, University of Wisconsin

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The aeri\_ingest is used to read raw data generated by the AERI.

The following datastreams are generated:

- aerich1.b1 or aeri01ch1.a1, channel 1 data
- aerich2.b1 or aeri01ch2.a1, channel 2 data
- aeriengineer.b1 or aeri01engineer.a1, contains engineering data
- aerisummary.b1 or aeri01summary.a1, summary data

[Recent Modifications: The aeri\\_ingest has been moved to the ARM Data Integrator \(ADI\) libraries and was released to production in January 2014.](#)

## 2.2 AmeriFlux Measurement Component (AMC)

Mentor: Marc Fischer, Lawrence Berkeley National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

This ingest generates:

- amc.b1

Purpose: The amc\_ingest is used to read the raw data of the AMC.

[Recent Modifications: The ingest was updated to process Oliktok, Alaska \(OLI\), data and was released to production in September 2014.](#)

## 2.3 AOS Aerosol Chemical Speciation Monitor (ACSM)

Mentor: Thomas Watson, Brookhaven National Laboratory

Developer: Alison Tilp, Brookhaven National Laboratory

Status: Operational

There are two data products for the ACSM:

- aosacsm.a1, generated by the aosacsm\_ingest
- aosacsm.b1, generated by the aosacsmcal\_ingest

Purpose: The aosacsm ingest reads the raw data from the ACSM.

Recent Modifications: The aosacsm\_ingest has been moved to use the ADI libraries and the data object design (DOD) has been updated for the new standards and approved in MMT. At the Data Quality Office's request, five diagnostic variables have been added to the datastream. A baseline change request (BCR) has been submitted to request the installation of the new ingest on the production system. The aosacsmcal\_ingest is used to calibrate the data. That ingest has been moved to use the ADI libraries and the output datastream is being modified to meet the new standards.

## 2.4 Aerosol Observing System (AOS)

Mentors: Anne Jefferson, National Oceanic and Atmospheric Administration, Stephen Springston, Brookhaven National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Purpose: To read both National Oceanic and Atmospheric Administration (NOAA) and Brookhaven National Laboratory (BNL) mentored AOS raw data from a variety of instruments and generate netCDF files.

The following datastreams are optionally generated:

- aosclap3w.b1, Continuous Light Absorption Photometer - 3-wavelength (CLAP3W) data, NOAA system only
- aospsap3w.b1, Particle Soot Absorption Photometer - 3-wavelength (PSAP3W) data, both NOAA and BNL systems
- aosnephdry.b1, reference nephelometer data, both NOAA and BNL systems
- aosnephwet.b1, "ramped" nephelometer data, both NOAA and BNL systems
- aosaeth.a1, aethelometer data, BNL system only
- aosccn100.a1, cloud condensation nuclei (CCN) data, both NOAA and BNL systems
- aosccn200.a1, dual CCN data, BNL system only
- aosco.a1, carbon monoxide data, BNL system only
- aoscpf.a1, Condensation Particle Counter (CPC) "fine" data, BNL system only
- aospc.a1, CPC data, NOAA system only
- aospcu.a1, CPC "ultrafine" data, BNL system only

- aosimpactor.a1, impactor state data, BNL system only
- aosmet.a1, meteorologic data collected by BNL system only
- aosnox.a1, nitrous oxide data collected by BNL system only
- aosozone.a1, ozone data collected by BNL system only
- aossmpls.a1, Scanning Mobility Particle Sizer (SMPS) data collected by BNL system only
- aossmpstrh.a1, SMPS temperature and relative humidity (RH) data collected by BNL system only
- aosuhsas.a1, Ultra-High Sensitivity Aerosol Spectrometer (UHSAS) data collected by BNL system only

Status: Operational

Recent Modifications: Minor updates to the aospsap3w.a1 were made, and the aospsapr.a0 was initiated in January 2015. The aosaeth.a1 datastream has been renamed aosaeth1spot.a1 for eventual comparison to a new aosaeth2spot.a1 datastream. Minor updates were also made to the NOAA aosnephdry.a1 and aosnephwet.a1 in February 2015. Some significant raw format changes required updated logic in the ingest. This harmonization effort will be ongoing and may take several months to complete.

## 2.5 Aerosol Observing System Humidified Tandem Differential Mobility Analyzer (AOS HTDMA)

Mentor: Gunnar Senum, Brookhaven National Laboratory

Developer: Alice Cialella, Brookhaven National Laboratory

Purpose: To read AOS HTDMA raw data and generate netCDF files.

The aoshtdma.a1 datastream is generated.

Recent Modifications: The ingest has recently been moved to use the ADI libraries. The ingest will be released to production soon, pending datastream review.

## 2.6 Atmospheric Sounder Spectrometer for Infrared Spectral Technology (ASSIST)

Mentor: Connor Flynn, Pacific Northwest National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Recent Modifications: Released to production in May 2014, after the migration to use the ADI library.

## 2.7 Beam-Steered Radar Wind Profiler (BSRWP)

Mentor: Rich Coulter, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Purpose: Read raw data from the 1290bsrwp (“1290-MHz Beam-Steered Radar Wind Profiler”) instrument and generate the 1290bsrwpprecipavg.b1 and 1290bsrwpwindavg.b1 datastreams. It is also currently renaming the moments and spectral files for archival. Currently, this ingest is only used to process Marine ARM GPCI<sup>1</sup> Investigation of Clouds (MAGIC) field campaign data.

Status: Operational

Recent Modifications: The bsrwp\_ingest was released to production in May 2014 so the raw spectra data can be processed in production to generate netCDF files.

## 2.8 Vaisala Ceilometer (CEIL)

Mentor: Victor Morris, Pacific Northwest National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The ceil\_ingest processes data collected from the Vaisala ceilometer (CEIL). Datastreams generated include the following:

- ceil.b1

Recent Modifications: This ingest has been moved to ADI and released to production. The datastreams and the ingest are being renamed to “ceil.” This datastream change required an end to end reprocessing, which has been completed.

## 2.9 Planetary Boundary-Layer Height Ceilometer (CEILPBLHT)

Mentor: Vic Morris, Pacific Northwest National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

---

<sup>1</sup> GPCI = GCSS Pacific Cross-section Intercomparison, a working group of GCSS

GCSS = GEWEX Cloud Systems Study

GEWEX = Global Energy and Water Cycle Experiment, a core project of the World Climate Research Programme.



Purpose: ceilpblht\_ingest processes raw ceilpblht data and generates:

- ceilpblht.a0

[Recent Modifications: Released to production for the Finland deployment.](#)

## 2.10 Disdrometer (DISDROMETER)

Mentor: Mary Jane Bartholomew, Brookhaven National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The disdrometer\_ingest is used to read data from disdrometer instruments. Disdrometers are used to collect data from tipping bucket rain gauges.

The following netCDF datastreams are generated:

- disdrometer.b1

[Recent Modifications: The disdrometer\\_ingest was released in October 2014 to handle missing values in old raw data files.](#)

## 2.11 Doppler Lidar (DL)

Mentor: Rob Newsom, Pacific Northwest National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational; released to production during January 2014 for the Finland deployment.

Purpose: The dl\_ingest processes raw Doppler Lidar data to produce daily netCDF files.

The following datastreams are optionally generated:

- dlcal1.a0
- dlcal2.a0
- dlftpt.a0
- dlppi.a0
- dlppi2.a0
- dlrhi.a0
- dlrhi2.a0
- dlusr.a0

Recent Modifications: In October 2014, a new version of the ingest was released to handle new Oliktok data and to change the netCDF file extension from “cdf” to “nc”.

## 2.12 Energy Balance Bowen Ratio (EBBR)

Mentor: David Cook, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The ebbbr\_ingest reads data from the EBBR system. The following datastreams are generated:

- 5ebbr.b1, 5-minute data
- 15ebbr.b1, 15-minute data
- 30ebbr.b1, 30-minute data

Recent Modifications: The production release was accomplished in December 2014. The datastreams now follow the new ARM standards.

## 2.13 Eddy Correlation Flux Measurement System (ECOR)

Mentor: David Cook, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The ecor\_ingest reads data from the ECOR and generates netCDF datastreams, which provide in-situ, half-hour measurements of the surface turbulent fluxes of momentum, sensible heat, latent heat, and carbon dioxide.

Datastreams generated include the following:

- 30ecor.b1

Recent Modifications: This ingest was moved to ADI and released to production in April 2014. The configuration package was also updated for Eastern North Atlantic (ENA); Gan Island, Maldives (GAN); and OLI data and released to production in June 2014.

## 2.14 G-Band Vapor Radiometer (GVR)

Mentor: Maria Cadeddu, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `gvr_ingest` reads data generated by the 183.3-GHz radiometer and generates netCDF datastreams. The GVR is located at the North Slope of Alaska (NSA) C1 site.

Datastreams generated include the following:

- `gvr.a0`
- `gvr.b1`

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## 2.15 G-band Vapor Radiometer Profiler (GVRP)

Mentor: Maria Cadeddu, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `gvrp_ingest` processes data generated by the MP183 radiometer. The instrument is located at the NSA C1 site.

Datastreams generated by the ingest are:

- `gvrpC1.b1`
- `gvrpC1.a1`

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## 2.16 High Spectral Resolution Lidar (Calibrated Files Produced by University of Washington) (HSRLUW)

Mentor: Connor Flynn, Pacific Northwest National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## 2.17 In Situ Aerosol Profiles Multi-Filter Radiometer (IAPMFR)

Mentor: Gary Hodges, National Oceanic and Atmospheric Administration

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: This ingest reads multi-filter radiometer (MFR) data collected from routine airplane flights around the Southern Great Plains (SGP) Central Facility (C1). The MFR data are calibrated by the iapmfr\_ingest.

The following datastreams are produced:

- sgpiapmfrC1.a0
- sgpiapmfrC1.b1

Recent Modifications: The ADI version of this ingest was released to production in January 2015. We have been asked to change the datastream name to “sgpmfrF1” where “F1” indicates “flight data”. We will be renaming the ingest and making the necessary logic updates.

## 2.18 Infrared/Visible Sky Imager (IRSI)

Mentor: Victor Morris, Pacific Northwest National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Engineering Change Order-15948 was approved to create the new ingest for this instrument.

Purpose: The irsi\_ingest produces the following datastreams:

- Irsiir.b1
- Irsiircldmask.a1
- Irsiirskimage.a1
- Irsivis.b1
- Irsiviscldmask.a1
- Irsivisskyimage.a1

Recent Modifications: The irsi\_ingest was released to production in October 2014.

## 2.19 Infrared Thermometer (IRT)

Mentor: Vic Morris, Pacific Northwest National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: This ingest generates the following datastreams:

- irt.b1
- irt10m.b1
- irt25m.b1

The irt\_ingest, similar to the irthr\_ingest, reads data from the IRT instruments. However, this ingest is designed for the older IRTs that report data every 20 seconds.

[Recent Modifications: In November 2014, the ingest was released to fix a bug discovered while reprocessing very old IRT data.](#)

## 2.20 Infrared Thermometer – High-Resolution (IRTHR)

Mentor: Vic Morris, Pacific Northwest National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The irthr\_ingest reads data from the high-resolution IRT instruments distributed around the SGP site. Datastreams generated are for 200-millisecond, 2-second, and 1-minute sample intervals and include the following:

- irt200ms.a1, 200-millisecond data
- irt2s.b1, 2-second data
- irt.b1, 1-minute data

Recent Modifications: This ingest has been moved to use ADI libraries. In February 2014, the irt\_ingest was released to production. [In November, 2014 the ingest was updated to address Data Quality Problem Report-4393.](#)

## 2.21 K-Band ARM Zenith Radar (KAZR)

Mentor: Karen Johnson, Brookhaven National Laboratory, Nitin Bharadwaj, Pacific Northwest National Laboratory

Developer: Annette Koontz, Pacific Northwest National

Status: Operational

Purpose: This ingest reads the KAZR (formerly the millimeter-wavelength cloud radar [MMCR]) zenith-pointing radar data, generating the kazraux.a0, kazrge.a1, kazrmd.a1, and kazrhi.a1 datastreams. The actual datastreams generated depend upon how the mentor configures the instrument.

The following datastreams are generated by this ingest:

- kazrge.a1

- kazrmd.a1
- kazrhi.a1

[Recent Modifications](#): This ingest has been moved to ADI and released to production. Datastreams were renamed, and the data levels were modified. Kazraux.a1 became kazraux.a0, and kazr\*.b1 became kazr\*.a1. The historical KAZR data are being reprocessed.

## 2.22 Ka ARM Zenith Radar Filtered Spectral Data (KAZRSPEC)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: Filter large spectra files to eliminate non-cloud content, generate netCDF files, and “quicklook” data plots. The kazrspec\_ingest was updated and released to production in February 2014.

The following datastreams are generated by this ingest:

- kazrspeccmaskhicopol.a0
- kazrspeccmaskmdcopol.a0
- kazrspeccmaskmdxpol.a0
- kazrspeccmaskgecopol.a0
- kazrspeccmaskgexpol.a0

## 2.23 Marine Atmospheric Emitted Radiance Interferometer (MAERI)

Mentor: Denny Hackel, University of Wisconsin

Developer: Yan Shi, Pacific Northwest National Laboratory

Status:

Purpose:

[Recent Modifications](#): The aeri ingest was cloned as the new maeri\_ingest.

## 2.24 ARM-Standard Meteorological Instrumentation, Marine (MARINEMET)

Mentor: Michael Reynolds, Remote Measurement and Research Company

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The marinemet\_ingest processes raw meteorological instrumentation at AMF (MET) data at MAGIC to produce daily netCDF files.

The following datastreams are generated by the ingest:

- marinemet.b1
- marinemets1.b1

[Recent Modifications:](#) This ingest was released after a minor logic fix in May 2014. The minor fix is related to Engineering Work Order-14824.

## 2.25 Vaisala Automatic Weather Station (MAWS)

Mentor: Donna Holdridge, Argonne National Laboratory

Developer: Christina Marinovici, Pacific Northwest National Laboratory

Status: In Development

Purpose: There is a new Automatic Weather Station (MAWS) instrument for the SGP C1 site.

Datastreams generated:

- maws.b1

The new datastream follows the new standards and file names will end with the .nc extension.

[Recent Modifications:](#) In December 2014, the first production release of the maws\_ingest was made.

## 2.26 Surface Meteorological Instrumentation (MET)

Mentor: Michael Ritsche, Argonne National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The met\_ingest processes data collected from conventional in situ sensors measuring meteorological data such as wind speed, barometric pressure, and so on.

The following datastream is generated:

- met.b1

[Recent Modifications:](#) The MET ingest has been reprocessed end-to-end to convert data from the surface meteorological instruments for Tropical Western Pacific (TWP) and surface meteorological observation System Instruments for SGP to MET with consistent DODs. All of the data reprocessing has been

completed and is at the data reviewing stage. The ingest was released in October 2014 after modifications were made to process these old data.

## 2.27 Multi-Filter Radiometer Cloud Detection Lidar (MFRCDL)

Mentor: Gary Hodges, National Oceanic and Atmospheric Administration

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: This ingest processes MFRSR, NIMFR, MFR3M, MFR10M, MFR25M, and NFOV2CH raw data and generates raw and calibrated netCDF files.

The following datastreams are generated:

- mfrsr.a0
- mfrsraux.a0
- mfrsr.b1
- nimfr.a0
- nimfr.b1
- mfr3m.a0
- mfr3m.b1
- mfr10m.a0
- mfr10m.b1
- mfr25m.a0
- mfr25m.b1
- nfov2ch.b1

The ADI library version of the mfrcdl\_ingest was released to production in April 2014. The new version includes several updates to better handle 24-hour daylight in the polar regions of the planet and more consistent nighttime offset computations. The ingest was released again in December 2014 to fix a few minor logic errors.

**Recent Modifications:** During recent historical reprocessing work, a new bug was discovered involving the sample time computations for very early binary raw data. This bug has been fixed. We also made minor updates to the mfr3m, mfr10m and mfr25m datastreams. The new version was released to production in March 2015.

## 2.28 Micropulse Lidar Polarized, Fast Sampling (MPLPOLFS)

Mentor: Rich Coulter, Argonne National Laboratory



Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `mplpol_ingest` processes data from the micropulse lidar (MPL, “fast sampling”). Datastreams generated include the following:

- `mplpolfs.b1`

The `mplpolfs_ingest` was released for processing the Finland data in January 2014.

[Recent Modifications: This ingest has been moved to ADI and released to production. We have started the requested work to remove the `preliminary\_cbh` field from the output datastream.](#)

## 2.29 Microwave Radiometer (MWR)

Mentor: Maria Cadeddu, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `mwr_ingest` processes data from the MWR. Datastreams generated include the following:

- `mwrlos.b1`, line-of-sight dataTIP `mwrtpip.a1` data

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## 2.30 Microwave Radiometer – High Frequency (MWRHF)

Mentor: Maria Cadeddu, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `mwrhf_ingest` processes 90/150-GHz microwave radiometer – high frequency (MWRHF) data.

The following datastreams are generated:

- `mwrhf.b1`
- `mwrhfcal90.a1`
- `mwrhfcal150.a1`

[Recent Modifications: This ingest has been moved to ADI and was released to production in July 2013. In October 2014, a new version was released to fix a problem discovered while processing data from the mobile facility deployment in Brazil.](#)

## 2.31 Marine W-Band ARM Cloud Radar (MWACR)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: This ingest reads data from the M-WACR and generates the following datastreams:

- magmwacrauxM1.a0
- magmwacrM1.a1

The mwacr\_ingest was released for processing the Finland data in January 2014.

[Recent Modifications: A new production release was made in January 2015 to fix a minor bug.](#)

## 2.32 Marine W-Band ARM Cloud Radar Spectra Filter (MWACRSPEC)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Krista Gaustad, Pacific Northwest National Laboratory

Status: Operational

Purpose: Filter huge spectra data files and eliminate non-cloud content. Generate netCDF files and quicklook data plots.

[Recent Modifications: The mwacrspec\\_ingest was rewritten and released to production in September 2014. This version is written entirely in the interactive data language \(IDL\) language.](#)

## 2.33 Microwave Radiometer – 3-Channel (MWR3C)

Mentor: Maria Cadeddu, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: Process data from the three-channel microwave radiometer.

The following datastreams are generated:

- mwr3c.b1
- mwrectip.a1

Recent Modifications: This ingest has been moved to ADI and released to production. Historical MWR3C data have been reprocessed.

In December 2014, a new version of the mwr3c\_ingest was released to production to handle data from the ACAPEX field campaign.

## 2.34 Microwave Radiometer Profiler (MWRP)

Mentor: Maria Cadeddu, Argonne National Laboratory

Developer: Maria Cadeddu, Argonne National Laboratory

Status: Operational

Purpose: The mwrp\_ingest processes data collected from the MWRP. Datastreams generated include the following:

- mwrp.b1

This ingest was moved to ADI and released to production in June 2013. A new version of the mwrp\_ingest was released to production in May 2014. The raw format was changed by the vendor for the instrument in the Azores.

Recent Modifications: Because of difficulties with calibration of the data from the Azores instrument, we are working on a brand new version of the ingest that will calibrate the data as they are ingested. This work is complicated, and so far only the logic for the Azores instrument is functional. Testing is ongoing.

## 2.35 Surface Navigation Data (NAV)

Mentor: Richard Coulter, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: This reads data from mobile location datastream for the MAGIC field campaign.

The following datastreams are generated:

- nav.a1
- navgps.a1

Recent Modifications: This ingest has been moved to ADI and was released to production in January 2015. The output datastreams now follow the new ARM standards.

## 2.36 NOAA AOS (NOAAAOS)

Mentor: Anne Jefferson, NOAA

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: Process quarterly mentor edited and merged AOS data.

Datastreams generated:

- noaaaos.b1
- noaaaosavg.b1

[Recent Modifications: The noaaaos\\_ingest was moved to ADI and released to production in January 2015.](#)

## 2.37 Optical Rain Gauge (ORG)

Mentor: Mike Ritsche, Argonne National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The org\_ingest processes ORG measurements.

The following datastreams are generated:

- org.b1

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## 2.38 OTT Parsivel2 Laser Disdrometer (PARS2)

Mentor: Mary Jane Bartholomew, Brookhaven National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: pars2\_ingest processes raw pars2 data and generates:

- pars2.b1

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## 2.39 Portable Radiation Package (PRP)

Mentor: Mike Reynolds, Remote Measurement and Research Company

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: This ingest reads prprad, prptcm, prptcm, prpfrsr raw data currently in operation for the MAGIC field campaign. The following datastreams are generated:

- 6sprpfrsr.a0
- 1sprprad.a1
- 1sprptcm.a1
- 5sprpgps.a1
- prpfrsr.a0
- prpgps.a1
- prprad.a1
- prptcm.a1

[Recent Modifications:](#) In December 2014, a new version of the prp\_ingest was made to correct a logic error that was causing the ingest to abort prematurely.

## 2.40 Radiation Measurements at the ARM Mobile Facility Niamey, Niger, Deployment (RAD)

Mentor: Peter Gotseff, National Renewable Energy Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The rad\_ingest processes raw Sky Radiation (SKYRAD) and Ground Radiation (GNDRAD) data to produce daily netCDF files.

The following datastreams are generated:

- skyrad20s.a0
- skyrad60s.b1
- gndrad20s.a0
- gndrad60s.b1

[Recent Modifications:](#) Released to production to process the Finland data and migrated to ADI.

## 2.41 Rain Gauge (RAIN)

Mentor: Mary Jane Bartholomew, Brookhaven National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The rain\_ingest processes tipping bucket measurements.

The following datastreams are generated:

- rainaux.b1
- rain.a1
- rain.b1

[Recent Modifications:](#) This ingest has been moved to ADI and logic was added for five minute accumulations. The rain\_ingest was released to production in January 2015.

## 2.42 Raman Lidar (RL)

Mentor: Rob Newsom, Pacific Northwest National Laboratory

Developer: Laurie Gregory, Brookhaven National Laboratory

Status: Operational

Purpose: This ingest processes RL data.

The following datastreams are generated:

- rl.a0
- rllog.a0

[Recent Modifications:](#) Migrated to ADI and released to production in March 2015.

## 2.43 Roll/Pitch Ingest (RP)

Mentor: Rich Coulter, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Purpose: The roll-pitch ingest processes position data (roll, pitch, and related data) from instruments on a moving platform. The ingest generates:

- rphtilt.a1
- rphcontrol.a1

Recent Modifications: This ingest has been moved to ADI. The ingest name was changed to avoid confusion and was released to production in December 2014. In addition, the output datastreams now follow the new ARM standards.

## **2.44 Radar Wind Profiler (RWP)**

Mentor: Rich Coulter, Argonne National Laboratory

Developer: Brian Ermold and Christina Marinovici, Pacific Northwest National Laboratory

Purpose: The rwp\_ingest reads data from the 50, 915, or 1290 RWP RASS wind profiler.

The following datastreams are generated:

- 50rwptempcon.a1
- 50rwptempmom.a0
- 50rwptempspec.a0
- 50rwpwindcon.a1
- 50rwpwindmom.a0
- 50rwpwindspec.a0
- 915rwpprecipcon.a1
- 915rwpprecipmom.a0
- 915rwpprecipspec.a0
- 915rwptempcon.a1
- 915rwptempmom.a0
- 915rwptempspec.a0
- 915rwpwindcon.a1
- 915rwpwindmom.a0
- 915rwpwindspec.a0
- 1290rwpprecipcon.a1
- 1290rwpprecipmom.a0
- 1290rwpprecipspec.a0
- 1290rwpwindcon.a1
- 1290rwpwindmom.a0
- 1290rwpwindspec.a0

The new RWP instruments for Oliktok and ENA are different from the older RWPs deployed at the other sites. The differences required updates to the RWP ingest to read the new data formats, resulting in nine new datastreams:

- 915rwpwindmeanlow.a1
- 915rwpprecipmeanlow.a1
- 915rwpprecipmeanhigh.a1
- 915rwpwindmomentlow.a0
- 915rwpprecipmomentlow.a0
- 915rwpprecipmomenthigh.a0
- 915rwpwindspeclow.a0
- 915rwpprecipspeclow.a0
- 915rwpprecipspechigh.a0

These new datastreams follow the new standards and filenames will end with the.nc extension. The extensions of the older datastream will not change.

The rwp\_ingest was released to production in October 2014. Additional logic was needed to handle data from Oliktok and ENA instruments.

**Recent Modifications:** The ingest was updated to:

- Convert the “signal to noise” units to “100\*db” for the newer instruments
- Set moments fields to missing when the “signal to noise” values are 32767 for the older instruments.

The updated ingest was released to production in March 2015.

## **2.45 Scanning ARM Cloud Radar (SACR)**

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory and [Krista Gaustad, Pacific Northwest National Laboratory](#)

Status: Operational

Purpose: Read ARM scanning cloud radar data and generate a variety of datastreams (66 different datastreams are possible, depending on radar configuration).

**Recent Modifications:** This ingest has been moved to ADI and released to production. In December 2014, another production release was made to make minor field-name changes.



A completely new raw data format will be generated for the SACR2 raw data version. The ingest work is underway.

## **2.46 Shortwave Array Spectroradiometer – he Measurements (SASHE)**

Mentor: Connor Flynn, Pacific Northwest National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Purpose: Read data from SASHE instruments and generate netCDF files.

The following datastreams are generated:

- sashemfr.b1
- sashenir.b1
- sashenirhisun.a0
- sashenirlowsun.a0
- sashevia.b1
- sashevishisun.a0
- sashevislowsun.a0

The ingest was modified to read new responsivity files created by the SASHE AOS VAP. The ingest was released to production in September 2014.

[Recent Modifications: Released in February 2015 after an update for a shadow band sequence change in Brazil.](#)

## **2.47 Shortwave Array Spectroradiometer – ze Measurements (SASZE)**

Mentor: Connor Flynn, Pacific Northwest National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: This ingest reads sasze input files and generates netCDF output.

The following datastreams are generated:

- saszefilterbands.a1
- saszenir.a0
- saszenir.a1

- saszevis.a0
- saszevis.a1

[Recent Modifications: This ingest was recently cloned from the sas\\_ingest, moved to ADI and released to production. Responsivity files for the Brazil deployment were released in January 2015.](#)

## **2.48 Surface Energy Balance System (SEBS)**

Mentor: David Cook, Argonne National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: pars2\_ingest processes raw SEBS raw data.

The following datastream is generated:

- sebs.b1

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## **2.49 Solar Infrared Radiation Station (SIRS)**

Mentor: Peter Gotseff, National Renewable Energy Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The sirs\_ingest processes data collected from SIRS instruments. Datastreams generated include the following:

- sirs.b1
- sirs20s.a0
- brs20s.a0
- brs.b1

[Recent Modifications: The instrument data loggers were upgraded to newer Campbell data loggers. This required changes to the ingest logic, and a few bugs have been found and corrected. This ingest has been moved to ADI and released to production.](#)

## **2.50 Mini Sound Detection and Ranging (SODAR)**

Mentor: Richard Coulter, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The sodar\_ingest processes data collected from mini SODAR instruments. Datastreams generated include the following:

- sodar.b1
- sodarspec.a1

[Recent Modifications: This ingest has been moved to ADI. It was released to production in May 2014.](#)

## **2.51 Balloon-Borne Sounding System (SONDE)**

Mentor: Donna Holdridge, Argonne National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The sonde\_ingest processes data collected from the balloon-borne sounding system. Datastreams generated include the following:

- sondewnpn.b1

[Recent Modifications: This ingest has been moved to ADI and released to production.](#)

## **2.52 Surface Temperature and Humidity Reference (SURTHREF)**

Mentor: Mike Ritsche, Argonne National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The surthref\_ingest processes data collected from SURTHREF system instruments. Datastreams generated include the following:

- surthref.b1

This ingest has been moved to ADI and released to production.

[Recent Modifications: The SURTHREF instrument has been retired and replaced by the MAWS.](#)

## **2.53 Soil Water and Temperature System (SWATS)**

Mentor: John Harris, Cooperative Institute for Mesoscale Meteorological Studies

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The swats\_ingest processes data collected from the SWATS. Datastreams generated include the following:

- swats.b1
- swatsspcp.b1

[Recent Modifications: The swats\\_ingest was moved to ADI and calibrations and metadata added for the new E30 to E37 facilities. The updates were released to production in March 2015.](#)

## **2.54 Shortwave Spectroradiometer (SWS)**

Mentor: Connor Flynn, Pacific Northwest National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The sws\_ingest processes data collected from the SWS. Datastreams generated include the following:

- sws.b1
- swsaux.b1

[Recent Modifications: The sws\\_ingest was moved to ADI and released to production in June 2014. This time, the responsivity files for SGP were also corrected.](#)

## **2.55 Temperature, Humidity, Wind, and Pressure Sensors (THWAPS)**

Mentor: Mike Ritsche, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The thwaps\_ingest processes data collected from THWAPS instruments.

Datastreams generated include the following:

- thwaps.b1

[Recent Modifications: The ADI library version of the thwaps\\_ingest was released to production in January 2014.](#)

## 2.56 Total Precipitation Sensor (TPS)

Mentor: Mark Ivey, Sandia National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The tps\_ingest processes data from the TPS (precipitation rate and daily accumulated precipitation). The instrument is located at the NSA C1 site. Datastreams generated by this instrument are nsatps.C1.b1 and nsatps.C1.00 (raw).

- tps.b1

[Recent Modifications:](#) The tps\_ingest has been moved to ADI and released to production. A new version is being developed to handle a new raw data format. This version of the ingest has not been released to production yet. This work is related to Engineering Work Order-14846.

[The current TPS sensor has failed. A replacement sensor is being sought.](#)

## 2.57 Total Sky Imager (TSI)

Mentor: Victor Morris, Pacific Northwest National Laboratory

Developer: Annette Koontz, Pacific Northwest National Laboratory

Status: Operational

Purpose: The tsi\_ingest process data from the TSI.

Datastreams generated by this instrument are:

- tsicldmask.a1
- tsiskycover.b1
- tsiskyimage.a1

[Recent Modifications:](#) A minor update to the file renaming was released to production in February 2015.

## 2.58 Facility-Specific Multi-Level Meteorological Instrumentation (TWR)

Mentor: David Cook, Argonne National Laboratory

Developer: Brian Ermold, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `twr_ingest` processes data collected from meteorological instruments located on towers above the ground. The datastreams generated include the following:

- 1440twr21x.b1
- 1440twr25m.b1
- 1440twr60m.b1
- 1twr10x.b1
- 1twr25m.b1
- 1twr60mC1.b1
- 30twr10x.b1
- 30twr25m.b1
- 30twr60m.b1

## 2.59 Video Disdrometer (VDIS)

Mentor: Mary Jane Bartholomew, Brookhaven National Laboratory

Developer: Yan Shi, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `vdis_ingest` reads and processes 2D video disdrometer data

Recent Modifications: [In November 2014, the ingest was modified in preparation for deployment to the ENA site.](#)

## 2.60 W-Band ARM Cloud Radar (WACR)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Krista Gaustad, Pacific Northwest National Laboratory

Status: Operational

Purpose: The `wacr_ingest` reads and processes W-band radar data and generate `wacr.b1` data files.

Recent Modifications: The `wacr_ingest` has been rewritten for the new `wacr2` raw data format. This version of the ingest was released to production in June 2014. Data from Brazil is currently processing on the DMF. [A fix for swapped polarizations was implemented and released to production in March 2015.](#)

## 2.61 Cloud Radar Spectra Filter (WACRSPEC)

Mentor: Karen Johnson, Brookhaven National Laboratory

Developer: Krista Gaustad, Pacific Northwest National Laboratory

Status: Operational

Purpose: Filter huge spectra files to eliminate non-cloud content and generate netCDF files and quicklook data plots.

[Recent Modifications: In September 2014, a new version of the ingest was released to production. This version was rewritten entirely in IDL.](#)

## 2.62 X-Band Scanning Precipitation Radar (XSAPR)

Mentor: Scott Collis, Argonne National Laboratory

Developer: Jonathan Helmus, Argonne National Laboratory

Purpose: The XSAPR ingest process is used to read data from the four XSAPR radar instruments. The data from these instruments comes stored in the IRIS/Sigmat format developed by Vaisala. The IRIS/Sigmat format is a published radar data format. During ingest, the radar moments and metadata contained in this format are read in IRIS/Sigmat and converted into netCDF.

The following datastreams are generated:

- xsaprppi.a1
- xsaprrhi.a1
- xsaprvpt.a1

[Recent Modifications: A problem related to masking gates was discovered in January 2015. In February 2015, a new production release was made. Data are being reprocessed.](#)

## 3.0 Ingest Metrics

Metrics from the ARM Data Archive were not available at the time this report was published.



U.S. DEPARTMENT OF  
**ENERGY**

---

Office of Science