




COPS (Convective and Orographically-induced Precipitation Study)



1. Overview (Volker Wulfmeyer):

- Further insight in COPS data set
- Ongoing projects and their links to ARM, WWRP, and WCRP
- IPM water-vapor differential absorption lidar and temperature rotational Raman lidar

2. Dave Turner: Modifications to the water vapor continuum in the microwave suggested by ground-based 150 GHz observations

3. Ulrich Löhnert: Overview of microwave radiometry and potential of sensor synergy during the COPS AMF deployment

4. Discussion:

- Cloudnet and IPT products
- Model evaluation efforts
- Proposals of future joint projects



Radiation: Energie balance network, AMF, CM-SAF, and Land-SAF retrievals

Land-surface exchange: Soil moisture, turbulence, and weather stations

ABL and CI: Active-passive VIS-IR-MW remote sensing synergy, soundings, GPS network, MSG Rapid Scan Service (RSS)

ACM: In-situ, AERI-MWR-lidar-radar synergy, MSG RSS

Precip: In-situ, micro rain radar, DOW, polarization and weather radar

D-PHASE Model Ensemble:

- 6 LAM ensemble forecast systems
- 12 deterministic models with convection parameterization
- 9 convection permitting deterministic models
- Harmonized and extended data set in GRIB1 following the so-called TIGGE+ table

Short COPS statistics:

- 2,700 soundings
- 11,000 h of lidar operation
- 10 aircraft with 400 flights hours
- 10,000 model runs with 50,000,000 model fields and plots (COPS domain)
- 60TB of data



COPS Publications and Links

- Website: www.uni-hohenheim.de/cops/
- Central data archives:
cera-www.dkrz.de/WDCC/ui/BrowseExperiments.jsp,
with publication data base (12 refereed pubs, 100 at conferences),
www.archive.arm.gov,
gop.meteo.uni-koeln.de
- Recent highlight: Dec. 2008 Special Issue on QPF of published in **Meteorologische Zeitschrift** see www.metzet.de





Coordination & DAP

D-PHASE/COPS Process Chain & COPS Coordination (IPM, WDCC, UniVie, MeteoSwiss)

COPS-GRID (IPM, GFZ, DWD)

CI

Moisture Net (IMK)	SurfAce fLUXes and Valley convEction (U Bayreuth, U Mainz, IMK)
Lower and upper tropospheric forcing of convection (IMK)	COPS-CI Remote Sensing (IPM)

Parameterization of cumulus convection (U Bonn)

ACM

COPS-LIDAR-IFT (IfT)

PPL

Life Cycle of Deep Convection during COPS (DLR)




D-PHASE




ETReC07




COPS-Austria




COPS-France



COPS-Italy



COPS-UK




ARM



TRACKS


eting, Louisville, USA

Data Assimilation: 4DVAR Using GPS Slant Total Delay (STD) of European Network



$$STD = \int_{z_0}^{TOA} \left(c_1 \frac{p}{T} + c_2 \frac{pm}{(c_3 + m)T^2} \right) ds + STD_0$$

GPS STD contains continuous information concerning the 3D mixing-ratio field over a large domain.




IPM developments and applications using MM5:

- Wulfmeyer et al. MWR 2006 (airborne lidar),
- Grzeschik et al. JTECH 2008 (ground-based Raman lidar)
- Zus et al. Meteorol. Z. 2008 (GPS network)



Data Assimilation, Verification, and Predictability

Frequency distribution of difference between observed and modeled STDs



18 km res.

Grell +
hor. diff.

Kuo +
hor. diff.

The power of 4DVAR:

- Improvements of forecasts
- Advanced model evaluation tool by means of reanalyses, e.g., of regional climate models in weather forecast mode
- Provides flow dependent analysis error covariance matrices
- Starting point for mesoscale model ensemble perturbations and, thus, mesoscale predictability studies
- First reanalysis project has been started by German Meteorological Service (DWD)



April 2, 2009

19th Annual ARM Science Team Meeting, Louisville, USA



COPS Breakout AIs

Scientific Exploitation of the AMF Data Set

- Retrieval algorithm intercomparison
- Comparisons with satellite retrievals
- Comparison of satellite retrievals
- Cloud and precipitation statistics data sets
- Coordination of model verification
- Comparison of COPS statistics with other sites
- Data assimilation impact studies (MWR)
- Corresponding Wiki?
- Links to COPS data set on ARM website
- Team working on these issues will be set up

