

Surface and Tower Meteorological Instrumentation at NSA

January 2006

M.T. Ritsche

Work supported by the U.S. Department of Energy,
Office of Science, Office of Biological and Environmental Research

Contents

1.	Surface and Tower Meteorological Instrumentation at Atqasuk (METTWR2H).....	1
2.	Surface and Tower Meteorological Instrumentation at Barrow (METTWR4H).....	1
3.	Contacts.....	1

1. Surface and Tower Meteorological Instrumentation at Atqasuk (METTWR2H)

1.1 General Overview

The Surface and Tower Meteorological Instrumentation at Atqasuk (METTWR2H) uses mainly conventional *in situ* sensors to measure wind speed, wind direction, air temperature, dew point and humidity mounted on a 10-m tower. It also obtains barometric pressure, visibility, and precipitation data from sensors at or near the base of the tower. In addition, a Chilled Mirror Hygrometer is located at 1 m for comparison purposes. Temperature and relative humidity probes are mounted at 2 m and 5 m on the tower. For more information, see the [Surface and Tower Meteorological Instrumentation at Atqasuk Handbook](#).

The original configuration and collection system for the METTWR2H was installed in July 2000. In October 2003, the configuration and collection system was changed considerably. Information on the data, sensors, and measurement methods prior to October 2003 can be found in the [Atqasuk Meteorology Station \(AMET\) Handbook](#).

2. Surface and Tower Meteorological Instrumentation at Barrow (METTWR4H)

2.1 General Overview

The Surface and Tower Meteorological Instrumentation at Barrow (METTWR4H) uses mainly conventional *in situ* sensors mounted at four different heights (2 m, 10 m, 20 m and 40 m) on a 40-m tower to obtain profiles of wind speed, wind direction, air temperature, dew point and humidity. It also obtains barometric pressure, visibility, and precipitation data from sensors at the base of the tower. In addition, a Chilled Mirror Hygrometer and an ultrasonic wind speed sensor are located near the 2 m level for comparison purposes. For more information, see the [Surface and Tower Meteorological Instrumentation at Barrow Handbook](#).

The original configuration and collection system for the METTWR4H was installed in March 1998. In October 2003, the configuration and collection system was changed considerably. Information on the data, sensors, and measurement methods prior to October 2003 can be found in the [Barrow Meteorology Station \(BMET\) Handbook](#).

3. Contacts

3.1 Mentor

Michael Ritsche, Scientific Associate
Argonne National Laboratory
9700 South Cass Avenue, Bldg. 203
Argonne, IL 60439
Phone: 630-252-1554
Fax: 630-252-5498
Email: mtritsche@anl.gov